

Modello	Codice di omolog. Type Number	Banda MHz	CH Space KHz	Potenza Watt	Impiego Previsto	Norme ETS 300-086	N. certificato omologazione PT
GM350/GM950	MD334	136-174	12,5	5-10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/337656/AF/0001756
GM350/GM950	MD334"BASE"	136-174	12,5	5-25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/338322/AF/0000841
GM350/GM950	MD534	403-470	12,5	5-10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/337657/AP/0001753
GM350/GM950	MD534"BASE"	403-470	12,5	5-25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/338324/AF/0000832
GM350/GM950	MD514	403-470	25	5-10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/337658/AF/0001754
GM350/GM950	MD514"BASE"	403-470	25	5-25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/338323/AF/0000831
GM900	MR204	66-88	12,5	1-10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/336058/AP/0002446
GM900/MC900/MC2100/MCS2000	MR304	136-174	12,5	1-10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/336058/AP/0002447
GM900/MC900/MC2100/MCS2000	MR504	403-470	12,5/25	10	Mob/Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/336058/AP/0002448
GM900/MC900/MC2100/MCS2000	MR504	403-470	12,5	10	Mob/Base/Fissa	D.M. 625	DCSR/2/4/144/03/330594/AF/0004920
GP300	P93YPC0	146-174	12,5	1-5	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/336055/AP/0000917
GP300	P94YPC0	438-470	12,5	1-4	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/336055/AP/0001542
GP300	P94YPC2	438-470	25	1-4	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/336055/AP/0001543
GP900/MT2100	PJ202	66-88	12,5	1-5	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/336056/AP/0001819
GP900/HT1100/MT2100/MTS2000	PJ302	156-174	12,5	1-5	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/336056/AP/0001820
GP900/MTS2000 Ex		136-174	12,5	1	Mobile		Omologato 086 & 113 Vedere le relative pagine
GP900/MT2100/MTS2000	PJ501	403-470	12,5/25	1	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/338312/AP/0001917
GP900/HT1100/MT2100/MTS2000	PJ502	403-470	12,5/25	4	Mobile	D.M. 625	DCSR/2/144/03/328077/AP/0007313
GR900/MR900	FC204-D	66-88	12,5	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332337/AP/00046013
GR900/MR900	FC204-S	66-88	12,5	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332336/AP/00046012
GR900/MR900	FC304-D	136-174	12,5	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332335/AP/0040697
GR900/MR900	FC304-S	136-174	12,5	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332338/AP/0040696
GR900/MR900	FC504-D	403-470	12,5/25	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332340/AP/0036611
GR900/MR900	FC504-S	403-470	12,5/25	1-25	Base/Fissa	D.M. 625	DCSR/2/4/144/03/332339/AP/0036612
P110	P23QLC0	146-174	12,5	2	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/338504/AP/0000189
P110	P24QLC0	438-470	12,5	2	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/338336/AP/0000190
P110	P24QLC2	438-470	25	2	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/338337/AP/0000191
VISAR	PV302	136-174	12,5	5	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/3306059/AP/0000918
VISAR	PV502	403-470	12,5/25	4	Mobile	D.M. 625	DGPGF/SEGR/2/144/03/3306059/AP/0001916

Modello	Codice di omolog. Type Number	Banda MHz	CH Space KHz	Potenza Watt	Impiego Previsto	Norme ETS 300-086 e 113	N. certificato omologazione PT
GP320	PW302B	136-174	12,5	5	Portatile	D.M. 349	DGPGF/4/2/144/03/340044FA/4428-4470
GP340	PW302C	136-174	12,5	5	Portatile	D.M. 349	DGPGF/4/2/144/03/340044FA/4428-4470
GP360	PW302F	136-174	12,5	5	Portatile	D.M. 349	DGPGF/4/2/144/03/340044FA/4428-4470
GP380	PW302H	136-174	12,5	5	Portatile	D.M. 349	DGPGF/4/2/144/03/340044FA/4428-4470
GP320	PW502B	403-470	12,5-25	4	Portatile	D.M. 349	DGPGF/4/2/144/03/340070FA/4452
GP340	PW502C	403-470	12,5-25	4	Portatile	D.M. 349	DGPGF/4/2/144/03/340070FA/4452
GP360	PW502F	403-470	12,5-25	4	Portatile	D.M. 349	DGPGF/4/2/144/03/340070FA/4452
GP380	PW502H	403-470	12,5-25	4	Portatile	D.M. 349	DGPGF/4/2/144/03/340070FA/4452
GP900 Keypad Ex	PJ301J	136-174	12,5	1	Portatile	D.M. 349	DGPGF/4/2/144/03/340561/FA/0002651
MTS2000 II Ex	PJ301F	136-174	12,5	1	Portatile	D.M. 349	DGPGF/4/2/144/03/340561/FA/0002653
MTS2000 I Ex	PJ301D	136-174	12,5	1	Portatile	D.M. 349	DGPGF/4/2/144/03/340561/FA/0002655
GP900 No Keypad Ex	PJ301C	136-174	12,5	1	Portatile	D.M. 349	DGPGF/4/2/144/03/340561/FA/0002657
MTS2000 III Ex	PJ301H	136-174	12,5	1	Portatile	D.M. 349	DGPGF/4/2/144/03/340561/FA/0002659
GM950 N2	MD334AA	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000167
GM950 N3	MD334AB	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000166
GM950 N1 / GM1200E K5	MD334AD	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000163
GM950 N4 / GM1200E K6	MD334AE	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000168
GM350 A2	MD334BA	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000165
GM350 A3	MD334BB	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000164
GM350 (A1)	MD334BD	136-174	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000162
GM950 N2	MD514AA	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006086
GM950 N3	MD514AB	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006087
GM950 N1	MD514AD	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006089
GM950 N4	MD514AE	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006085
GM350 A2	MD514BA	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006091
GM350 A3	MD514BB	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006088
GM350 (A1)	MD514BD	403-470	25	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340511FA/0006090
GM950 N2	MD534AA	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000123
GM950 N3	MD534AB	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000122
GM950 N1 / GM1200E K5	MD534AD	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000119
GM950 N4 / GM1200E K6	MD534AE	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000124
GM350 A2	MD534BA	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000121
GM350 A3	MD534BB	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000120
GM350 (A1)	MD534BD	403-470	12,5	10	Mobile	D.M. 349	DGPGF/4/2/144/03/340556/FA/0000118
GM950 N2	MD334AA "BASE"	136-174	12,5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000156

Modello	Codice di omolog. Type Number	Banda MHz	CH Space KHz	Potenza Watt	Impiego Previsto	Norme ETS 300-086 e 113	N. certificato omologazione PT
GM950 N3	MD334AB "BASE"	136-174	12,5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000157
GM950 N1 / GM1200E K5	MD334AD "BASE"	136-174	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000154
GM950 N4 / GM1200E K6	MD334AE "BASE"	136-174	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000155
GM350 A2	MD334BA "BASE"	136-174	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000158
GM350 A3	MD334BB "BASE"	136-174	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000159
GM350 (A1)	MD334BD "BASE"	136-174	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340557/FA/0000160
GM950 N2	MD514AA "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005796
GM950 N3	MD514AB "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005797
GM950 N1	MD514AD "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005800
GM950 N4	MD514AE "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005795
GM350 A2	MD514BA "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005798
GM350 A3	MD514BB "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005799
GM350 (A1)	MD514BD "BASE"	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340428FA/0005801
GM950 N2	MD534AA "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006401 - 6441
GM950 N3	MD534AB "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006403 - 6441
GM950 N1 / GM1200E K5	MD534AD "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006405 - 6441
GM950 N4 / GM1200E K6	MD534AE "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006402 - 6441
GM350 A2	MD534BA "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006404 - 6441
GM350 A3	MD534BB "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006400 - 6441
GM350 (A1)	MD534BD "BASE"	403-470	12.5	25	Base	D.M. 349	DGPGF/4/2/144/03/340510/FA/0006406 - 6441
ENLN4055 (Eurobase)	FD334	136-174	12,5	25	Base	D.M. 349	DGPGF/4/2/144/03/340558/FA/0002559
ENLN4055 (Eurobase)	FD514	403-470	25	25	Base	D.M. 349	DGPGF/4/2/144/03/340642/FA/0002722
ENLN4055 (Eurobase)	FD534	403-470	12,5	25	Base	D.M. 349	DGPGF/4/2/144/03/340641/FA/0002714
MTR2000	FO307	132-174	12,5	1-25	Base/Fissa	D.M. 625	DGPGF/4/2/144/03/337633/AP/0002352
MTR2000	FO306	132-174	12,5	25	Base/Fissa	D.M. 625	DGPGF/4/2/144/03/338905/AP/0003174
MTR2000	FO507	403-470	12,5-25	6-25	Base/Fissa	D.M. 625	DGPGF/4/2/144/03/337672/AP/0002353
MTR2000	FO 506	403-470	12,5-25	25	Base/Fissa	D.M. 625	DGPGF/4/2/144/03/338904/AP/0003176
QUANTAR	FA304	150-174	12,5	6-25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/335826/AP/0001920
QUANTAR	FA306	150-174	12,5	25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/335827/AP/0001922
QUANTAR	FA504	432-470	12,5-25	6-25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/335824/AP/0001461
QUANTAR	FA506	432-470	12,5-25	25	Base/Fissa	D.M. 625	DGPGF/SEGR/2/144/03/335825/AP/0001462

**MOTOROLA**

## APPARATI OMOLOGATI RTTE ( Direttiva 1999/05/CE )

12/11/2001

Type Number	Brand Name	Banda MHz	CH Space KHz	Potenza Watt
PW302B	GP320	136-174	12,5	1-5
PW302C	GP340/GP640	136-174	12,5	1-5
PW302F	GP360	136-174	12,5	1-5
PW302H	GP380/GP680	136-174	12,5	1-5
PW302P	GP1280	136-174	12,5	1-5
PW502B	GP320	403-470	12,5-25	1-4
PW502C	GP340 /GP640	403-470	12,5-25	1-4
PW502F	GP360	403-470	12,5-25	1-4
PW502H	GP380/GP680	403-470	12,5-25	1-4
PW502P	GP1280	403-470	12,5-25	1-4
PJ301J	GP900 Keypad Ex	136-174	12,5	1
PJ301F	MTS2000 II Ex	136-174	12,5	1
PJ301D	MTS2000 I Ex	136-174	12,5	1
PJ301C	GP900 No Keypad Ex	136-174	12,5	1
PJ301H	MTS2000 III Ex	136-174	12,5	1
PJ501J	GP900 Keypad Ex	403-470	12,5-25	1
PJ501F	MTS2000 II Ex	403-470	12,5-25	1
PJ501D	MTS2000 I Ex	403-470	12,5-25	1
PJ501C	GP900 No Keypad Ex	403-470	12,5-25	1
PJ501H	MTS2000 III Ex	403-470	12,5-25	1
PJ202C	GP900 No Keypad	66-88	12,5	1-5
PJ202D	MTS2000 I	66-88	12,5	1-5
PJ202F	MTS2000 II	66-88	12,5	1-5
PJ202H	MTS2000 III	66-88	12,5	1-5
PJ202J	GP900 Keypad	66-88	12,5	1-5
PJ302C	GP900 No Keypad	136-174	12,5	1-5
PJ302D	MTS2000 I	136-174	12,5	1-5
PJ302F	MTS2000 II	136-174	12,5	1-5
PJ302H	MTS2000 III	136-174	12,5	1-5
PJ302J	GP900 Keypad	136-174	12,5	1-5
PJ502C	GP900 No Keypad	403-470	12,5-25	1-4
PJ502D	MTS2000 I	403-470	12,5-25	1-4
PJ502F	MTS2000 II	403-470	12,5-25	1-4
PJ502H	MTS2000 III	403-470	12,5-25	1-4

**APPARATI OMOLOGATI RTTE  
( Direttiva 1999/05/CE )**

Type Number	Brand Name	Banda MHz	CH Space KHz	Potenza Watt
PJ502J	GP900 Keypad	403-470	12,5-25	1-4
PV302D	Visar no keypad	136-174	12,5	1-5
PV302H	Visar keypad	136-174	12,5	1-5
PV502D	Visar no keypad	403-470	12,5-25	1-4
PV502H	Visar keypad	403-470	12,5-25	1-4
PA302	Astro Saber	136-174	12,5	1-5
PX302B	Astro XTS3000	136-174	12,5	1-5
PX302BJ	Astro DCR3000	136-174	12,5	1-5
PA502	Astro Saber	403-470	12,5-25	1-4
PX502A	Astro XTS3000	403-470	12,5-25	1-4
MW304AA	GM340/GM640	136-174	12,5	1-25
MW304AC	GM360/GM660	136-174	12,5	1-25
MW304AD	GM380/GM1280	136-174	12,5	1-25
MW304AX	Databox	136-175	12,5	1-25
MW504AA	GM340/GM640	403-470	12,5-25	1-25
MW504AC	GM360/GM660	403-470	12,5-25	1-25
MW504AD	GM380/GM1280	403-470	12,5-25	1-25
MW504AX	Databox	403-470	12,5-25	1-25
MR204	MCS2000	66-88	12,5	1-25
MR304	MCS2000	136-174	12,5	1-25
MR503	MCS2000	403-470	12,5-25	1-10
MR504	MCS2000	403-470	12,5-25	10-25
MA304	Astro Spectra	146-174	12,5	10-25
MA504	Astro Spectra	438-470	12,5-25	10-25
FO300	MTR Receiver	136-174	12,5	no tx
FO500	MTR Receiver	403-470	12,5-25	no tx
FA304A	Quantar	132-154	12,5	10-25
FA304B	Quantar	150-174	12,5	10-25
FA504A	Quantar	403-433	12,5-25	10-25
FA504B	Quantar	438-470	12,5-25	10-25
PT511A	Tetra d1700 mth500	410-430	25	1



**MOTOROLA**

**APPARATI OMOLOGATI RTTE  
( Direttiva 1999/05/CE )**

12/11/2001

Type Number	Brand Name	Banda MHz	CH Space KHz	Potenza Watt
FT914	EBTS	380-430	25	25